

**Montgomery County, TN
Stormwater Program Management Manual**

Appendix D - Bibliography

Bibliography

Allen P. and R. Narramore. 1985. **Bedrock controls on stream channel enlargement with urbanization, North Central Texas.** Water Resources Bulletin. 21(6): 1037-1048.
Best Management Practices, Engineering Department, Stormwater Engineering Division, City of Knoxville, TN., October 2007.

Booth, D. 1990. **Stream Channel Incision Following Drainage Basin Urbanization.** Water Resources Bulletin. 26(3): 407-417.

Capuccitti, D and W. Page, 2000. **Stream response to stormwater management best management practices in Maryland.** Maryland Department of the Environment. Final Deliverable for a US EPA 319 Grant.

Cavernous Rocks in Engineering and Construction. Springer Berlin Heidelberg, Denver, CO.

Chang G. J. Parrish, and C. Souer. 1990. **The first flush of runoff and its effect on control structure design.** Environ. Res. Mgt. Div. Dept. of Environ. and Conservation Services. Austin, TX.

City of Clarksville Storm Water Management Manual, Clarksville, TN., July 2004.

Dartiguenave, C. M., I. ECLille and D. R. Maidment. 1997. **Water Quality Master Planning for Austin.** CRWR Online Report 97-6.

Hollis, F. 1975. **The effects of urbanization on floods of different recurrence intervals.** *Water Resources Research*, 11:431-435.

Kentucky Forest Practice Guidelines for Water Quality Management, FOR 67,
<http://www.ca.uky.edu/agc/pubs/for/for67/bmp04.pdf>

MacRae C. and A. Rowney. 1992. **The role of moderate flow events and bank structure in the determination of channel response to urbanization.** 45th Annual Conference. Resolving Conflicts and Uncertainty in Water Management. Proceeding of the Canadian Water Resources Association. June 1992. Kingston, Ontario.

MacRae, C. 1993. **An alternate design approach for the control of instream erosion potential in urbanizing watersheds.** pp. 1086-1091. In proceedings of the Sixth International Conference on Urban Storm Drainage. Niagra Falls, Ontario. Marsalek and Torno (eds.)

MacRae, C. 1996. **Experience from morphological research on Canadian streams: is control of the two-year frequency runoff event the best basis for stream channel protection?** *In* Effects of Watershed development and Management on Aquatic Systems . L. Roesner (ed.) Engineering Foundation Conference. Proceedings. Snowbird, UT. August 4-9, 1996. pp. 144-160.

MacRae, C. and M. DeAndrea, 1999. **Assessing the Impact of Urbanization on Channel Morphology**. 2nd International Conference on Natural Channel Systems. Niagra Falls, OT.

McCuen R. and G. Moglen. 1988. **Multicriterion stormwater management methods**. Journal of Water Resources Planning and Management. (114) 4.

McCuen, R. 1979. **Downstream effects of Stormwater Management Basins**. Journal of the Hydraulics Division, ASCE, Vol. 105, No. HY11.

Metropolitan Nashville Stormwater Management Manual, Volume 4 (Best Management Practices), Nashville, TN., Metro Water Services, Stormwater Division.

(<https://secure.nashville.gov/stormwater/regs/index.asp>)

Metropolitan Nashville Stormwater Management Manual Volume 2 (Procedures) Nashville, TN., Metro Water Services, Stormwater Division.

(<https://secure.nashville.gov/stormwater/regs/index.asp>)

Morisawa, M and E. La Flure. 1979. **Hydraulic geometry, stream equilization and urbanization**. In the Proceedings of the Tenth Annual Geomorphology Symposia Series entitled "Adjustments of the Fluvial System" held in Binhampton, NY. September 21-22, 1979. Kendall/Hunt Publishing Company, Dubuque, IA.

MTAS NPDES Phase II Stormwater Management Best Management Practices (BMP) Toolkit. University of Tennessee, Municipal Technical Advisory Service, July 2002.

MTAS Stormwater BMP Selection Guide Manual for Tennessee. University of Tennessee, Municipal Technical Advisory Service, July 2002.

Tennessee Conservation Practice Standard; Riparian Forest Buffer (391). Natural Resources Conservation Service.

Stormwater Manager's Resource Center. Center for Watershed Protection, Inc., Ellicot City, MD., 2000.

TDEC Erosion and Sediment Control Handbook, March 2002.

The Tennessee Guide to the Selection and Design of Stormwater Best Management Practices: A Guide for Phase II MS4 Communities for Protecting Postconstruction Stormwater Quality and Managing Stormwater Flow (also known as the TDEC Manual for Post Construction), Tennessee Water Resources Research Center, The University of Tennessee Knoxville, TN., 37996

<http://eerc.ra.utk.edu/divisions/wrrc/>

The Use of Best Management Practices in Urban Watersheds. USEPA, EPA/600/R-04/184, September 2004.

Trimble, S. **Contribution of stream channel erosion to sediment yield from an urbanizing watershed.** *Science*, 278: 1442-1444.

Waltham, T., Bell, F.G., Culshaw, M.G. (2005). **Sinkholes and Subsidence Karst Formations.** www.stormwatercenter.net